

Work Order ID 141388

Friday, February 05, 2016 7:19:58 AM

141388

No stock
to ship order
Feb 25 Page 1

Item ID: D3536-25 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Gasket Center
 Start Date: 2/3/2016 Start Qty: 6.00 ***20** **SA** Cust Item ID:
 Required Date: 2/3/2016 Req'd Qty: 6.00 ***20** Customer:
 Reference:

Approvals: Process Plan: MLJ Date: FEB 05 2016 Tooling: _____ Date: _____
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
 Run Start ***NR1***
 Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3536	Rev A								
100	FLOW WATER JET	0.00							
100									
Waterjet	Memo	0.00							
FLOW CNC Waterjet	1-Cut as per Dwg D3536 Dwg Rev: <u>A</u> Prog Rev: <u>A</u> 2- Deburr if necessary								
110	QC2- Inspect parts off machine FAI/FAIB	0.00							
110									
QC	Memo	0.00							
Quality Control									
120	QC8- Inspect parts - second check	0.00							
120									
QC	Memo	0.00							
Quality Control									

(26) 02/16/25

(26) 02/16/25

(26) 02/16/25
 DAS
 38
 9-00
 FEB 25 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER :							

141388

Page 2

N900040100

Setup Start *NS1*

Stop *NS2*

Start Date: 2/3/2016 **Start Qty:** 6.00 ***6***

Cust Item ID:

Required Date: 2/3/2016 **Req'd Qty:** 6.00 ***6***

Customer:

Reference:

Approvals: **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

**Insp.
Stamp**

Identify as per dwg & Stock Location:

0.00

130

Packaging

Memo

0.00

Packaging

LOCATION : FP001

140

QC21- Final Inspection - Work Order Release

0.00

140

QC

Memo

0.01

Quality Control

26

6
9-89

~~FEB 25 2016~~

MCJ

FEB 25 2016

MCT

FEB 25 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QS1042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

Picklist Print

Friday, February 05, 2016 7:20:01 AM

Page 1

Work Order ID: 141388

141388

Parent Item: D3536-25

D3536-25

Parent Item Name: Gasket Center

Start Date: 2/3/2016

Required Date: 2/3/2016

Start Qty: 6.00

Required Qty: 6.00

Comments: IPP Rev:A New Issue 07-02-14 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MNEO60S.063		Purchased	No			100	sf	323.1700	0.5956	3.970667			

MNEO60S 063

NEOPRENE SHEET 0.063

12/16/02/25

Location

Loc Qty

Loc Code

MAT052

323.17

M13374

323.17

16.5

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

DART AEROSPACE LTD		Work Order:	141388
Description: Gasket		Part Number:	D3536-25
Inspection Dwg: D3536 Rev: A		Page 1 of 1	

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
21.80	+/-0.030	21.80	/		V=Dx-0.2	
16.35	+/-0.030	16.35	/		V=Dx-0.1	
10.90	+/-0.030	10.90	/		Tcp	
5.45	+/-0.030	5.45	/			
6.00	+/-0.030	6.00	/			
6.75	+/-0.030	6.75	/			
12.75	+/-0.030	12.75	/			
1.89	+/-0.030	1.89	/			
0.30	+/-0.030	.30	/			
0.30	+/-0.030	.30	/			
Ø0.19	+0.005/-0.001	Ø.19	/			


Measured by: <i>de</i>	Audited by: <i>DAS</i>	Prototype Approval:	N/A
Date: 16/02/25	Date: FEB 25 2016	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	07.06.13	New Issue	KJ/JLM	<i>[Signature]</i>




RELEASED
09-02-12-11

SECRET COPY
RETURN TO
DRAWING ROOM
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO 141388 MJS
1602-05



D3536-11 GASKET



D3536-13 GASKET

NOTES


- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NE080-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION

DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
CB	CB	PORT HADLOCK, WA	
CHECKED PH	APPROVED H	DRAWING NO. D3536	REV. A
DATE 06.10.25	TITLE GASKET	SHEET 1 OF 6	
A	06.10.25	NEW ISSUE	SCALE 1:10




DESIGN	CB	DRAWN BY	CB	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	06.10.25	TITLE	D3536	REV. A
			GASKET	SHEET 2 OF 6
				SCALE 1:10

0702.12



D3536-15 GASKET



D3536-21 GASKET


NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NE060-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION




RELEASED
070212 CH

DESIGN	CB	DRAWN BY	CB	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	06.10.25	DRAWING NO.	D3536	REV. A
		TITLE	GASKET	SHEET 3 OF 6
		SCALE	1:10	



D3536-23 GASKET



D3536-25 GASKET


NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NE060-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT $\bar{C}$
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION




DESIGN CB	DRAWN BY CB	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED PH	APPROVED PH	DRAWING NO. D3536	REV. A
DATE 06.10.25	TITLE GASKET	SHEET 4 OF 6	
		SCALE 1:10	


07.02.12
07.02.12



D3536-33 GASKET



D3536-35 GASKET



D3536-31 GASKET



NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION



DESIGN	CB	DRAWN BY	CB	DART AEROSPACE USA, INC.
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA
DATE	06.10.25	DRAWING NO.	D3536	REV. A
		TITLE	GASKET	SHEET 5 OF 6
		SCALE	1:10	

03.02.02 CH




NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 80 DUROMETER (REF DART SPEC. M-NEO80-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER
- 7) SEE PAGE 6 FOR DETAILS AND SECTION




070212
 070212
 070212

DESIGN	CB	DRAWN BY	CB	DART AEROSPACE USA, INC.	
CHECKED	PH	APPROVED	PH	PORT HADLOCK, WA	REV. A
DATE	06.10.25	TITLE	D3536	SHEET 6 OF 6	SCALE
			GASKET		1:10



D3536-41 GASKET



NOTES

- 1) MATERIAL: BLACK NEOPRENE SHEET, 1/16 THICK, 60 DUROMETER (REF DART SPEC. M-NEO60-S.063)
- 2) FINISH: NONE
- 3) PART IS SYMMETRICAL ABOUT ϕ
- 4) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) ALL DIMENSIONS ARE IN INCHES
- 6) IDENTIFY WITH DART P/N USING A WHITE FINE POINT PERMANENT INK MARKER